

Report No.: MAN:HL:1448007845 ISSUE DATE: 08-Jan-2024

HITECH INTERNATIONAL

PLOT NO. 18 SECTOR 6 IMT MANESAR

INDIA

CONTACT PERSON: POONAM MALHOTRA

THE FOLLOWING SAMPLE(S) WAS/WERE SUBMITTED AND IDENTIFIED BY/ON BEHALF OF THE CUSTOMER AS:

SAMPLE DESCRIPTION CL005
COLOUR WHITE
COUNTRY OF DESTINATION INDIA
COUNTRY OF ORIGIN INDIA

LAB PROVIDED DETAILS:

CONDITION OF SAMPLE COMPLETE AND OK

THE LOCATION OF PERFORMANCE OF THE LABORATORY ACTIVITIES: SGS GURUGRAM LABORATORY SAMPLE RECD ON 29-Dec-2023 TESTING PERIOD: 29-Dec-2023 - 08-Jan-2024

SUMMARY OF TEST RESULTS:

TESTS	PASS	FAIL	REMARKS
RoHS Test-			
Cadmium, Lead, Mercury,			
Hexavalent chromium, Polybrominated biphenyls			
(PBBs), Polybrominated diphenyl ethers (PBDEs) and			SEE RESULT
Phthalates such as Bis(2-ethylhexyl) phthalate (DEHP),			
Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP)			
and Diisobutyl phthalate (DIBP)			

Remarks: P=Pass

F=Fail

TEST(S) RESULT & METHOD: PLEASE REFER TO NEXT PAGE(S). RESULTS APPLY TO THE SAMPLE AS RECEIVED

Per Pro SGS India Pvt. Ltd.

SANDIP BHUSHAN TECHNICAL MANAGER

Authorized Signatory-Mechanical

Email your Test Report Related Enquiries at Feedback.HLT@sgs.com

JOE No.: 2348804303 400166692 Page 1 of 9 Control No.: 1448509781

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The laboratory shall be responsible for all the information provided in the report, except when information and instruction for specific scope of testing is provided by the customer. "Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

No decision rule is applied, when comparing the measurement result (s) with the applicable limit(s) according to the specification in the respective standard or as shared by the

Connectivity and product, Testing Laboratory, Plot no. 21, Sector 3, IMT Manesar, Gurugram District, Haryana- 122050 (India) t: (+91-124 678 7600

SGS India Pvt. Ltd



Report No.: MAN:HL:1448007845 ISSUE DATE: 08-Jan-2024

NON ACCREDITED TEST(S)

Test Part Description:

Product No.	Sample No.	Material Description	Remarks
1	1	Liquid	

Remarks:

- (1) 1mg/kg=0.0001%
- (2) MDL = Method Detection Limit
- (3) ND = Not Detected (<MDL)
- (4) = not regulated

RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU

Test Method:

- (1) With reference to IEC 62321-5:2013, determination of Cadmium by ICP-OES.
- (2) With reference to IEC 62321-5:2013, determination of Lead by ICP-OES.
- (3) With reference to IEC 62321-4:2013+A1:2017, determination of Mercury by ICP-OES.
- (4) With reference to IEC 62321-7-1:2015, determination of Hexavalent Chromium by Colorimetric Method using UV-Vis and/or with reference to IEC 62321-5:2013, determination of Chromium by ICP-OES.
- (5) With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS.
- (6) With reference to IEC 62321-8:2017, determination of phthalates by GC-MS.

JOE No.: 2348804303 400166692 Page 2 of 9 Control No.: 1448509781

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The laboratory shall be responsible for all the information provided in the report, except when information and instruction for specific scope of testing is provided by the customer. "Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

No decision rule is applied, when comparing the measurement result (s) with the applicable limit(s) according to the specification in the respective standard or as shared by the

customer.



Report No.: MAN:HL:1448007845 ISSUE DATE: 08-Jan-2024

NON ACCREDITED TEST(S)

TEST RESULTS:

Test Item(s):	Unit	Results	MDL
Cadmium(Cd)	mg/kg	n.d.	5
Lead (Pb)	mg/kg	n.d.	5
Mercury (Hg)	mg/kg	n.d.	5
Hexavalent Chromium (CrVI)	mg/kg	n.d.	8
Sum of PBBs	mg/kg	n.d.	-
Monobromobiphenyl	mg/kg	n.d.	50
Dibromobiphenyl	mg/kg	n.d.	50
Tribromobiphenyl	mg/kg	n.d.	50
Tetrabromobiphenyl	mg/kg	n.d.	50
Hexabromobiphenyl	mg/kg	n.d.	50
Pentabromobiphenyl	mg/kg	n.d.	50
Heptabromobiphenyl	mg/kg	n.d.	50
Octabromobiphenyl	mg/kg	n.d.	50
Nonabromobiphenyl	mg/kg	n.d.	50
Decabromobiphenyl	mg/kg	n.d.	50
Sum of PBDEs	mg/kg	n.d.	-
Monobromodiphenyl ether	mg/kg	n.d.	50
Dibromodiphenyl ether	mg/kg	n.d.	50
Tribromodiphenyl ether	mg/kg	n.d.	50
Tetrabromodiphenyl ether	mg/kg	n.d.	50
Pentabromodiphenyl ether	mg/kg	n.d.	50
Hexabromodiphenyl ether	mg/kg	n.d.	50
Heptabromodiphenyl ether	mg/kg	n.d.	50
Octabromodiphenyl ether	mg/kg	n.d.	50
Nonabromodiphenyl ether	mg/kg	n.d.	50
Decabromodiphenyl ether	mg/kg	n.d.	50
Dibutyl phthalate (DBP)	mg/kg	n.d.	100
Butyl benzyl phthalate (BBP)	mg/kg	n.d.	100
Bis (2-ethylhexyl) phthalate (DEHP)	mg/kg	n.d.	100
Diisobutyl Phthalates (DIBP)	mg/kg	n.d.	100

JOE No.: 2348804303 400166692 Page 3 of 9 Control No.: 1448509781

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The laboratory shall be responsible for all the information provided in the report, except when information and instruction for specific scope of testing is provided by the customer. "Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

No decision rule is applied, when comparing the measurement result (s) with the applicable limit(s) according to the specification in the respective standard or as shared by the

SGS India Pvt. Ltd



Report No.: MAN:HL:1448007845 ISSUE DATE: 08-Jan-2024

NON ACCREDITED TEST(S)

Notes:

(1) IEC 62321 series is equivalent to EN 62321 series. https://www.cenelec.eu/dyn/www/f?p=104:30:1742232870351101::::FSP_ORG_ID,FSP_LANG_ID:1258637,25

- (2) The restriction of DEHP, BBP, DBP and DIBP shall apply to medical devices, including in vitro medical devices, and monitoring and control instruments, including industrial monitoring and control instruments, from 22 July 2021.
- (3) Test has been sub-contracted to ISO/IEC 17025 accredited laboratory.
- (4) Testing has been performed as per customer request.

JOE No.: 2348804303 400166692 Page 4 of 9 Control No.: 1448509781
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms and, for

electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The laboratory shall be responsible for all the information provided in the report, except when information and instruction for specific scope of testing is provided by the customer. "Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


No decision rule is applied, when comparing the measurement result (s) with the applicable limit(s) according to the specification in the respective standard or as shared by the



Report No.: MAN:HL:1448007845 ISSUE DATE: 08-Jan-2024

NON ACCREDITED TEST(S)

Process Flow for analysis of metal contents in plastics, metals and electronic components sample



Analyzed By: Mahesh Panday Checked By: Md. Taqi

JOE No.: 2348804303 400166692 Page 5 of 9 Control No.: 1448509781

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction row exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The laboratory shall be responsible for all the information provided in the report, except when information and instruction for specific scope of testing is provided by the customer. "Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

No decision rule is applied, when comparing the measurement result (s) with the applicable limit(s) according to the specification in the respective standard or as shared by the


SGS India Pvt. Ltd



Report No.: MAN:HL:1448007845 ISSUE DATE: 08-Jan-2024

NON ACCREDITED TEST(S)

Process Flow for analysis of Hexachromium contents in plastics, metals and electronic components sample



Analyzed By: Rishab Suri Checked By: Bikram Deo Ohdar

JOE No.: 2348804303 400166692 Page 6 of 9 Control No.: 1448509781

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The laboratory shall be responsible for all the information provided in the report, except when information and instruction for specific scope of testing is provided by the customer. "Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


No decision rule is applied, when comparing the measurement result (s) with the applicable limit(s) according to the specification in the respective standard or as shared by the



Report No.: MAN:HL:1448007845 ISSUE DATE: 08-Jan-2024

NON ACCREDITED TEST(S)

Process Flow for analysis of Flame Retardants in plastics, metals and electronic components sample



Analyzed By: Parvez Alam Siddiqui Checked By: Vijai Chauhan

Page 7 of 9 JOE No.: 2348804303 400166692 Control No.: 1448509781

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The laboratory shall be responsible for all the information provided in the report, except when information and instruction for specific scope of testing is provided by the customer. "Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

No decision rule is applied, when comparing the measurement result (s) with the applicable limit(s) according to the specification in the respective standard or as shared by the

SGS India Pvt. Ltd


Connectivity and product, Testing Laboratory, Plot no. 21, Sector 3, IMT Manesar, Gurugram District, Haryana- 122050 (India) t: (+91-124 678 7600



Report No.: MAN:HL:1448007845 ISSUE DATE: 08-Jan-2024

NON ACCREDITED TEST(S)

Process Flow for analysis of Phthalates in Electrotechnical Product As per soxhelt Extraction or THF Extraction:



Analyzed By: Parvez Alam Siddiqui Checked By: Vijai Chauhan

JOE No.: 2348804303 400166692 Page 8 of 9 Control No.: 1448509781

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The laboratory shall be responsible for all the information provided in the report, except when information and instruction for specific scope of testing is provided by the customer. "Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

No decision rule is applied, when comparing the measurement result (s) with the applicable limit(s) according to the specification in the respective standard or as shared by the

SGS India Pvt. Ltd

Connectivity and product, Testing Laboratory, Plot no. 21, Sector 3, IMT Manesar, Gurugram District, Haryana- 122050 (India) t: (+91-124 678 7600 www.sgs.com



Report No. : MAN:HL:1448007845 ISSUE DATE: 08-Jan-2024



***** END OF REPORT****

Page 9 of 9 JOE No.: 2348804303 400166692 Control No.: 1448509781

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sqs.com/terms and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The laboratory shall be responsible for all the information provided in the report, except when information and instruction for specific scope of testing is provided by the customer. "Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

No decision rule is applied, when comparing the measurement result (s) with the applicable limit(s) according to the specification in the respective standard or as shared by the